Application No.: 09/955,920 Docket No.: WIBL-P01-549

## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings of the claims in the application:

1. (Currently Amended) A method of identifying a <u>colorectal</u> tumor comprising the steps of: a) obtaining a sample derived from an <u>organ or tissue\_a</u> <u>colon or rectum;</u> b) determining the expression pattern of <u>one or more marker</u> genes <u>galectin-4</u> in the sample, <u>said one or more marker genes selected from the group consisting of the genes in FIGS. 1A 1R2, FIGS. 2A-2T2, FIGS. 3A-3Z2, FIGS. 4A-4S2, FIGS. 5A-5M2, FIGS. 6A-6W2, FIGS. 7A-7D3, FIGS. 8A-8X2, FIGS. 9A-9C3, FIGS. 10A-10P2, FIGS. 11A-11O2, FIGS. 12A-12V2, FIGS. 13A-13N2, and FIGS. 14A-14A3; and c) comparing the expression pattern obtained in step b) to the expression pattern of <u>one or more genes galectin-4</u> specific to a <u>colorectal</u> tumor, wherein a <u>marker galectin-4</u> gene expression pattern in the sample that is similar to the <u>galectin-4</u> gene expression pattern specific to a tumor identifies a <u>colorectal</u> tumor.</u>

## 2.-75. (Cancelled)

- 76. (Currently Amended) A method according to claim 1, wherein the marker gene is expression pattern is determined utilizing DNA.
- 77. (Currently Amended) A method according to claim 1, wherein the marker gene is expression pattern is determined utilizing mRNA.
- 78. (Currently Amended) A method according to claim 76, wherein the expression pattern of the marker gene is determined utilizing specific hybridization probes.
- 79. (Currently Amended) A method according to claim 77, wherein the expression pattern of the marker gene is determined utilizing specific hybridization probes.

Application No.: 09/955,920 Docket No.: WIBL-P01-549

80. (Currently Amended) A method according to claim 76, wherein the expression pattern of the marker gene is determined utilizing oligonucleotide microarrays.

- 81. (Currently Amended) A method according to claim 77, wherein the expression pattern of the marker gene is determined using oligonucleotide microarrays.
- 82. (Currently Amended) A method according to claim 1, wherein determining the expression <u>pattern</u> of one or more marker genes occurs by determining the level of a polypeptide encoded by said one or more marker genes galectin-4.
- 83. (Original) A method according to claim 82, wherein the level of said polypeptide is determined utilizing antibodies.
- 84. (New) A method of identifying a pancreatic tumor comprising the steps of: a) obtaining a sample derived from a pancreas; b) determining the expression pattern of galectin-4 in the sample; and c) comparing the expression pattern obtained in step b) to the expression pattern of galectin-4 specific to a pancreatic tumor, wherein a galectin-4 gene expression pattern in the sample that is similar to the galectin-4 gene expression pattern specific to a tumor identifies a pancreatic tumor.
- 85. (New) A method according to claim 84, wherein the expression pattern is determined utilizing DNA.
- 86. (New) A method according to claim 84, wherein the expression pattern is determined utilizing mRNA.
- 87. (New) A method according to claim 85, wherein the expression pattern is

Application No.: 09/955,920 Docket No.: WIBL-P01-549

determined utilizing specific hybridization probes.

88. (New) A method according to claim 86, wherein the expression pattern is determined utilizing specific hybridization probes.

- 89. (New) A method according to claim 85, wherein the expression pattern is determined utilizing oligonuleotide microarrays.
- 90. (New) A method according to claim 86, wherein the expression pattern is determined using oligonucleotide microarrays.
- 91. (New) A method according to claim 84, wherein determining the expression pattern occurs by determining the level of a polypeptide encoded by galectin-4.
- 92. (New) A method according to claim 91, wherein the level of said polypeptide is determined utilizing antibodies.